

Produktinformasjon i henhold til Delegert kommisjonsforordning (EU) nr.

Varemerke	AEG
Modell	TCH74B01CB 949598072
Annual Energy Consumption (kWh/year)	32.7
Energy Efficiency class	A+
Fluid Dynamic Efficiency	32
Fluid Dynamic Efficiency class	A
Lighting Efficiency (lux/W)	
Lighting Efficiency class	
Grease Filtering Efficiency (%)	85.1
Grease Filtering Efficiency class	B
Air flow at minimum and maximum speed in normal use (m ³ /h)	270/550
Air flow at intensive or boost setting (m ³ /h)	650
Airborne acoustical A-weighted sound power emissions at minimum and maximum speed in normal use (dB(A))	50/66
Airborne acoustical A-weighted sound power emissions at intensive or boost setting (dB(A))	69
Power consumption in standby mode (W)	-
Power consumption in off mode (W)	0.49

INFORMASJON I HENHOLD TIL EU 66/2014

Attribute Name	Position	Symbol	Value	Unit
Model Denomination			TCH74B01CB 949598072	
Type of hob			Built-In Hob	
Number of electric cooking zones			4	
Number of electric cooking areas			1	
Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plates) per electric cooking zone and/or area			Induction ExtractorHob	
For circular cooking zones or area: diameter of useful surface area per electric heated cooking zone, rounded to the nearest 5 mm	Left	∅	21,0	cm
	Left	∅	21,0	cm
	Right Front	∅	14.5	cm
	Right Rear	∅	18,0	cm
Energy consumption per cooking zone or area calculated per kg	Left	EC ^{electric cooking}	189.1	Wh/kg
	Left	EC ^{electric cooking}	189.1	Wh/kg
	Right Front	EC ^{electric cooking}	180.2	Wh/kg
	Right Rear	EC ^{electric cooking}	178.3	Wh/kg
Energy consumption for the hob calculated per kg		EC ^{electric hob}	184.2	Wh/kg

INFORMASJON I HENHOLD TIL EU 66/2014

Attribute Name	Symbol	Value	Unit
Model Denomination		TCH74B01CB 949598072	
Annual Energy Consumption	AEC _{hood}	32.7	kwh/a
Time increase factor	f	0.8	
Fluid Dynamic Efficiency	FDE _{hood}	32,0	
Energy Efficiency Index	EEl _{hood}	42.6	
Measured air flow rate at best efficiency point	QBEP	286.7	m ³ /h
Measured air pressure at best efficiency point	PBEP	449	Pa
Maximum air flow	Q _{max}	650.0	m ³ /h
Measured electric power input at best efficiency point	WBEP	111.9	W
Nominal power of the lighting system	WL		W
Average illumination of the lighting system on the cooking surface	E _{middle}		lux
Measured power consumption in standby mode	P _s	-	W
Measured power consumption off mode	P _o	0.49	W
Sound power level	LWA	66	dB